Subject Index

ADP glucose pyrophosphorylase (ADPGPP) in starch biosynthesis, 26 - 27

Agriculture and weed control in developing countries, 140-150 Agrobacterium tumefaciens, 52, 63, 65, 67

Agronomy, 100-101, 108, 110, 140-150 Agrotis ipsilon, 169

Alpha-amylase in starch degradation, 93 Amino acid composition, improving, 4

Amylopectin, 26 Amylose, 26

Antibodies engineering of, in plants, 74-79

fragments, 74 bulk production of, 77

full-length, 75

production of, in plants, 72-79

multimeric. 76 recombinant, 76

secretory, in plants, 72

Antigen binding, 73

Antigen recognition, 73 Antimicrobial defenses, preformed, 126 - 135

Antioxidants, carotenoids as, 18

Antisense technology, 4 Antisense transcripts in plant cytoplasm,

Aquaporin in water-stressed plants, 119

Arabidopsis, 15, 16, 122 salt-stressed, inositol biosynthesis in,

Aspergillus niger, 95

Avenacin as antifungal agent, 127

Avirions, 43

B-cell epitope, 46 Bacillus thuringiensis, 106-113, 155, 164

Barley, fructans in, 20 Beta-1,3-glucanase, 130

Beta-carotene in vascular disease, 13

Beta-glusidase, 66

Beta-keto acyl-CoA synthase (KCS), 85 Biochemical mechanisms in tolerance acquisition, 115

Biofungicides, 155, 157-158

Bioinsecticides through biotechnology. 160-162

Biopesticides, development and commercialization of, 154-162

Biopharmaceuticals, plant-based, potential of, 68

Biotechnology

environmental impact from, 99-103 improved bioinsecticides through,

160-162

Black cutworm, 169

Broad beans, loss of, from broomrape in Egypt, 145

Broomrapes, 142, 145

Bt transgenes, 109

Bulb-forming plants, fructans in, 20

affeic acid O-methyltransferase, 134

Cancer and carotenoids, 13

Canola oil, 1 high starch, 33-35

Capsid protein, 43

Carbohydrates, 20-25

Carotenoids

and chlorophyll in photosynthesis, 13

as micronutrients, 13 biosynthesis of, 14-18, 60

in transgenic plants, 13-19

cDNA, cloned, 43 Chain length, 5

Chicory, fructans in, 20 Chitinases, 130, 132-133

Cholera toxin subunits, expression of, in plants, 50-55

Cinnamate 4-hydroxylase, 127

Cinnamyl alcohol dehydrogenase, 134 Coat proteins, 43, 174

Coconut, LPAAT in, 84

Commercialization strategies, 174

Confectionery coatings, 8 Confectionery fats, 7

Consumer appeal, 10 Corn borer, European (ECB), 164

Corn, yield losses of, from witchweed in Kenya, 144-145

Cotton, insect resistance and, 106

Cowpea mosaic comovirus (CPMV), 43,

CPMV. See Cowpea mosaic comovirus CrvIA(b), 165

Dairy products, simulated, 8 Delta-endotoxins, expression of, in plants.

Desaturation of fatty acids, 5, 6 Diabrotica undecumpunctata, 169 Diabrotica virgifera, 169

Dietary fiber, 21 Diterpene cyclase, 129

Ecology, plant, 102-103 Egypt, broomrape in, 145 Engineering, genetic, in plants, 1-10 Environment, plant biotechnology and, 99-103 Enzymes alpha-amylase in starch degradation, 93 cinnamate 4-hydroxylase, 127 diterpene cyclase, 129 human, in transgenic tobacco, bioproduction of, 62-69 in industrial use, 91-97 in starch biosynthesis, 26-27 phenylalanine ammonia-lyase, 127 phytase, extracellular expression of. 94-95, 96 seed-formulated, 93 sesquiterpene cyclase, 129 Epitopes that induce immunity, 43 Escherichia coli, 27, 29, 33, 43

Fatty acids, saturated, 34
Fatty alcohols in seed oil, 87
Field testing of recombinant plant viruses, 58–60
Flavr Savr tomato, 4
Food quality, improving, 1–10
Foot and mouth disease, 47
Fructans, 20–25
bacterial, in plants, 23–24
biosynthesis of, 20, 22–23
digestion of, 21

Gamma-carboxylation, 64–65 Gaucher's disease, glucocerebrosidase (hGC) in, 69

Genes alpha-trichosanthin, 58 coat protein genes, 174 cryIA(b), 112 glgC16, 33, 34 Psy 1, 16–17 thioesterase, 9

Genetic engineering, 1–10, 37–41, 57–60, 82–88, 91–97, 106–113, 115–123, 170

Geranylgeranyl pyrophosphate (GGPP), 15 Gibberelins, 17

Glucocerebrosidase, human, tobaccobased production of, 66-67, 68 Glycoproteins, hydroxyproline-rich (HRGPs), 133–135 Glycosylation, 65, 68, 74, 93 Green revolution, impact of, 141

HEAR oil, 84, 86–88 Herbicide-resistant crops in developing countries, 140–150 Herbicide-resistant soybeans, 172 Herbicides in developing countries, 141 Heterorhabditis bacteriophora, 159 Hybrid viral vector, 57 Hypersensitive response (HR), 126

Imidazolinone in parasite control, 143 Immunity cholera toxin (ctx) in, 50 induction of, by viruses, 43-47 Immunization, passive, with monoclonal SigA, 78 Immunoglobulin A, secretory, 76 Immunotherapy antibodies in, 77-79 topical, 78-79 In planta conversion of substrate, 92 India, wheat problems in, 149-150 Industry, enzymes in. 91-97 Infectious RNA transcripts, 58 Inositol 1-phosphate synthase, 121 Inositol biosynthesis, 121 Inositol O-methyltransferase, 121 Insect resistance, transgenic plants and, 106-113 Insect-tolerant transgenic crops, 170 Insecticidal crystal proteins (ICPs), 160 Insecticidal nematodes, 159 Inulin type fructans, 20 Inulins, 20 Isoline in host-plant resistance in cotton. Isoprenoid biosynthetic pathway, 57

Jerusalem artichokes, fructans in, 20 Johnsongrass mosaic potyvirus (JMV), 43, 47

Kenya, witchweed in, 144–145 Ketoacyl synthases, 6

Laurate, 8, 83–84 Lauric-rich oils, 8 Laurical, 8 Levans, 20 Levansucrase, 23 Lignin, 134 Lycopene, 15, 17–18 Lys-rich proteins, 39 Lysophosphatidis acid acyltransferase (LPAAT), 83–86

Mabinlin, 39–41
Maize, transgenic, to control maize insect pests, 164–170
Mannitol 1-phosphate dehydrogenase, 119
Margarine, 7, 8
Mesembryanthemum crystallinum, salt tolerance in, 120–121
Met-rich proteins, genes that encode, 38
Methionine in transgenic seeds, 37–39
Micronutrients, carotenoids as, 13
Mutagenesis, 43

N-linked glycans, 65
Na*/H* antiporter proteins, 120
Natural defense responses, improved, 126
Nicotiana tabacum, 45, 52, 76
Nutrient dense foods, 18
Nutrition, 10
carotenoids in, 13

Oilsed rape, 33 Onions, fructans in, 20 Oral immunity, 50 Osmotic adjustment in salinity stress, 117 Ostrinia nubilalis, 164

Parasite control in developing countries, 143

Pest control, 154–162

Pests
black cutworm, 169
broomrape in Eqypt, 145
corn borer, European (ECB), transgenic maize to control, 164–170
witchweed, 142, 144–145

PG. See Polygalacturonase
Pharmaceuticals, human, 63

Phenylalanine ammonia-lyase (PAL) in tobacco plants, 127

Pheromones, 158–159

Photoinhibition and salinity stress, 116

Photooxidation, carotenoids in protecting

against, 13

Phytase extracellular expression of, 94-95 industrial application of, 96 seed-specific expression of, 95 Phytoalexins genetic engineering of, 119-130 in disease resistance, 126-130 isoflavonoid, increasing toxicity of, 128 Phytoanticipins, 126 Phytoene, 15, 18 Phytoene synthase, 17 Phytoremediation, 102-103 Pigments, carotenoids as, 13 Plant Variety Protection laws, 173 Plant virus capsid protein, 43 Plant viruses for delivery of vaccine epitopes, 43-48 Plants antibody production and engineering in, cholera toxin (ctx) subunits in, 50-55 ecology, 102-103 genetic engineering in, 1-10, 37-41, 91-97, 99-103 transgenic carotenoids in, 13-19 environmental benefits of, 100-102 fructans in, 23 risk assessment of, 99-103 virally transfected, 57 Plasmids, recombinant, 51 Plasmodium falciparum, 48 Plus sense RNA virus, 58 Poliovirus epitope, 43 Polygalacturonase (PG) in pectin degradation, 4 Polyunsaturates, 9 Potassium channels in salt uptake in plants, 120 Potato fructans in, 23 high starch, 28 starch or carbohydrates in, modification of. 4 transgenic mabinlin in, 41 starch biosynthesis in, 26-27 Potyvirus (JMV) for delivery of vaccine epitopes, 47-48 Prenvltransferase, 128 Promoter gene, 35, 65 Proteins

antifungal, 101

chitinase, 132-133

beta-glucanase, 130, 132-133

cholera toxin (ctx) in immunity, 50

crystal, insecticidal, engineering of, 162

C, human (hPC), 64-66, 68

ketoacyl, 6

dietary, improved, 37–41 industrial, 91–97 insecticidal, 161, 165 Lys-rich, 39 mabinlin, 40 Na⁺/H⁺ antiporter proteins, 120 pathogenesis-related, in disease resistance, 130 pharmaceutical, 63 production of, in plants, 91–97 seed (mabinlin), 40 sulfur-rich, 38 Vips, 169 Psy 1, 16–17

Race-specific resistance genes from plants, 126
Radical oxygen scavenging in salinity-stressed plants, 116
Rapeseed, 10, 82–88
Recombinant antibodies, 79
Rhinovirus, human, 47
Roundup herbicide, 173
Roundup Ready soybeans, 173
Russet Burbank potato, starch biosynthesis in, 26–27

Dalt stress responses, 115 Salt tolerance, 116-120 engineering and gene transfer, 115-123 Salt uptake in plants, 120 Saturated fatty acids, 34 Secretory immunoglobulin A (SigA), 76 Seed dispersal, 13 Seed oil, genetic engineering of, 82 Seed protein (mabinlin), 40 Seed-specific expression of antisense gene, 10 Seeds plant, industrial enzymes in, 92-97 transgenic commercialization of, 172-176 transgenic, methionine in, 37-39 Semiochemicals, 158-159 Sesquiterpene cyclase, 129 Sesquiterpenoid aldehydes, 107 Shistosoma japonica, 48 Short chain fatty acids, fructan production of. 21 Soluble solids in tomatoes, 5 Sorghum in parasite control, 143 Soybeans, herbicide-resistant, 172

Squash, virus-resistant, 174-175

Starch, biosynthesis of, 26-35 Starch-degrading enzymes, 93 Steinernema carpocapsae, 159 Steroids, 17 Stilbene synthase, 129 Stomatal conductance, altered, in salinity stress, 116 Streptococcus mutans, IgG monoclonal antibody against, 78 Subunit vaccines, 50-55 Sucrose, 20 Sulfur-rich proteins, 38 Sweet proteins, 39-41 Synthases acetolactate (ALS), in parasite control, enol-pyruvate-shikimate-phosphate (EPSP), 143

AG. See Triacylglycerol Thioesterase, 6, 9 in oil synthesis, 83 Third world needs, herbicide-resistant crops for, 140-150 TMV. See Tobacco mosaic virus TNA viral vectors, autonomous, 57-60 Tobacco budworm, Bt-resistant, 109 Tobacco mosaic virus (TMV), 57-60 for delivery of vaccine epitopes, 44-46 Tobacco mosaic virus-based vectors, 58-60 Tobacco, transgenic alpha-amylase in, 93-94 cholera toxin in, 52-55 human enzymes in, 62-69 Tobamoviruses, 57 TOM5, 16 Tomato carotenoid biosynthesis in, 16 Flavr Savr, 4 high solids, 31-33 Transfection of tobacco plants, 57-60 Transgenic maize to control corn borer and other pests, 164-170 Transgenic plants, 72-79 environmental benefits of, 100-102 industrial proteins in, 91-97 insect resistance and, 106-113 risk assessments of, 99-100 Transgenic seed products, commercialization of, 172-176 Triacylglycerols (TAGs), 8, 82 in plant storage oil, 5 Triglycerides, structured, 9

Tulips, fructans in, 20

174


Vaccine epitopes, delivery of, by plant viruses, 43-48 Vaccines, subunit, 50-55 Vegetative insecticidal proteins (VIPs), 169 Very long chain fatty acids, 84 Vip3, 169 Viral diseases, 173 Viral vectors, autonomous RNA, 57-60 cowpea mosaic comovirus (CPMV), 43 foot and mouth disease, 47 plant, for vaccine epitope delivery, 43-48 plus sense RNA virus, 58 potyvirus (JMV) for delivery of vaccine epitopes, 47-48 replicating, 43 tobacco mosaic virus, 44-46, 57-60 watermelon mosaic virus II (WMVII).

zucchini yellow mosaic virus (ZYMV),

Water uptake, plant, in salinity stress, 116–117
Watermelon mosaic virus II (WMVII), 174
Wax esters, linear, 85
Wax, long chain, in HEAR oil, 86–88
Weed control in developing countries, 140–150
Wheat
fructans in, 20
problems in, in India, 148–150
Witchweed, 142, 144–145
WMVII. See Watermelon mosaic virus II

Xanthophylls, 15, 16, 17

Zona pellucida 3, murine, 45 Zucchini yellow mosaic virus (ZYMV), 174



Index of Contributors

Altman, D. W., 106-114

Barry, G. F., 26–36 Beachy, R. N., 43–49 Benedict, J. H., 106–114 Bennett, S., 62–71 Bohnert, H. J., 115–125 Bramley, P. M., 13–19 Bright, S. W. J., 99–105

Carlton, B. C., 154–163 Carozzi, N. B., 164–171 Cramer, C. L., 62–71

Dawson, J., 164–171 Della-Cioppa, G., 57–61 Desai, N., 164–171 Dixon, R. A., 126–139 Drake, R., 13–19 Dunder, E., 164–171 Dunwell, J. M., 99–105

Ebskamp, M., 20–25 Evola, S. V., 164–171

Fitchen, J. H., 43-49

Golldack, D., 115–125 Grabau, E. A., 62–71 Grabowski, G. A., 62–71 Greenland, A. J., 99–105 Gressel, J., 140–153 Grill, L. K., 57–61

Halpin, C. M., 99–105 Hassan, E. A., 140–153 Hein, M. B., 43–49, 50–56, 72–81

Ishitani, M., 115-125

Jensen, R. G., 115-125

Kamasani, U. R., 115–125 Kishore, G. M., 26–36 Koziel, M. G., 164–171 Kridl, J. C., 1–12 Lamb, C. J., 126-139 Lassner, M., 82-90 Launis, K., 164-171

Ma, J. K-C., 72–81 Masoud, S., 126–139 Meeusen, R. L., 172–176 Metz, J., 82–90

Oishi, K. K., 62-71

Paiva, N. L., 126–139 Pen, J., 91–98 Pilon-Smits, L., 20–25 Ponce, E., 62–71 Ponstein, A. S., 91–98

Radin, D. N., 62–71 Rammesmayer, G., 115–125 Ransom, J. K., 140–153 Römer, S., 13–19

Sachs, E. S., 106–114 Schuch, W., 13–19, 99–105 Shen, B., 115–125 Sheveleva, E., 115–125 Shewmaker, C. K., 1–12 Smeekens, S., 20–25 Stark, D. M., 26–36 Sturtevant, A., 50–56 Sun, S. S. M., 37–42

Tu, H. M., 37–42

Verwoerd, T. C., 91-98

Wang, F., 50-56 Warren, G. W., 164-171 Weisbeek, P., 20-25 Weissenborn, D. L., 62-71

Xiong, L., 37-42

Yeo, T.-C., 50-56

Zuo, W., 37–42